



Government of West Bengal

Office of the Principal

GOVERNMENT GENERAL DEGREE COLLEGE, MANGALKOTE

PANCHANANTALA, KHUDRUN DIGHI, MANGALKOTE

P.O. - MAJHIGRAM; BLOCK - MANGALKOTE; SUB DIVISION - KATWA

DISTRICT - PURBA BARDHAMAN; WEST BENGAL; PIN CODE - 713132; INDIA

Email: [ggdcmangalkote@gmail.com](mailto:ggdcmangalkote@gmail.com); Website: <http://mangalkotegovtcollege.org>

MEMO No.: 510/MG1e

Date: 08/02/2020

**To Whom It May Concern**

This is to certify that Dr. Debasish Kundu, Assistant Professor in Chemistry of Government General Degree College, Mangalkote is doing Collaborative Research with Dr. Laksmikanta Adak, Assistant Professor of Chemistry, IEST Shibpur from 2020. Both of them have research background in Organic Synthesis and Green Catalysis. This collaboration will build a healthy academic relationship between the two institute and the outcomes will inspire students of our collage to choose IEST for higher studies.

Their Collaborative effort has already created several opportunities of publications in the field of "Nanocatalysis and Sustainable Synthesis" and they are already working on a a article about nano Iron catalysed reaction. I hope that their collaborations remain as dynamic with several more projects in the pipeline those are going to be published in near future.

8.2.2020

Officer-In-Charge

Government General Degree College, Mangalkote

Officer-in-Charge  
Government General Degree College  
Mangalkote, Burdwan

Dr. Pradipta Kumar Basu  
OFFICER IN CHARGE, W.B.E.S.  
Government General Degree College, Mangalkote  
Dt. Purba Bardhaman, West Bengal- 713132



### To Whom It May Concern

This certifies that Dr. Debasish Kundu, Assistant Professor in the department of Chemistry of Government General Degree College, Mangalkote, is doing collaborative research with Dr. Laksmikanta Adak, Assistant Professor of Chemistry, IEST Shibpur, from 2020. Both of them have research backgrounds in Organic Synthesis and Green Catalysis. This collaboration will build a healthy academic relationship between the two institutes, and the outcomes will inspire college students to choose IEST for higher studies.

The Collaborative effort has already created several opportunities for publications in the field of "Nanocatalysis and Sustainable Synthesis." and they are already working on an article about nano Iron catalyzed reactions. I hope the collaborations remain dynamic, with several more projects in the pipeline that will be published soon.

Dr. Laksmikanta Adak  
Assistant Professor,  
Department of Chemistry,  
IEST, Shibpur,  
Howrah - 711103, West Bengal

## REVIEW ARTICLE

BENTHAM  
SCIENCE

## Reusable Iron/Iron Oxide-based Nanoparticles Catalyzed Organic Reactions

Laksmikanta Adak<sup>1,\*</sup>, Debasish Kundu<sup>2,\*</sup>, Keya Roy<sup>1</sup>, Malay Saha<sup>3</sup> and Anup Roy<sup>2</sup>

<sup>1</sup>Department of Chemistry, Indian Institute of Engineering Science and Technology, Shibpur, Botanic Garden, Howrah 711103, India; <sup>2</sup>Department of Chemistry, Government General Degree College Mangalkote (Affiliated to the University of Burdwan), Khudrun, Purba Bardhaman 713143, India; <sup>3</sup>Sovarami Memorial College, Jagatballavpur, Howrah 711408, WB, India



Laksmikanta Adak

**Abstract:** The last decade has witnessed a remarkable progress in the field of nanoscience and nanotechnology. Nanoparticles have been extensively used in diverse areas, including medicine, sensor, and catalysis. The easy accessibility of nanoparticles (NPs) with different shapes, sizes and compositions has inspired researchers to investigate their applications in catalysis. Recently, magnetic nanoparticles, such as iron-based nanoparticles, have attracted much consideration due to their unique properties, such as superparamagnetism, greater surface area, surface-to-volume ratio, and easy separation methodology. They increase the competence of organic reactions in terms of activity, selectivity, yield, simplicity, and sustainability. In this review, we focus on the developments of iron/iron oxide-based nanoparticles-catalyzed organic reactions and some examples of magnetic iron oxide nanoparticles as carriers/support for the main catalyst in organic reactions. Owing to magnetic properties, these nanocatalysts can be easily recovered from the reaction mixture by an external magnet and reused for several runs without loss of catalytic activity. Iron-based nanoparticles are used in a wide range of catalytic processes and applications. Notable focus has been on the hydrogenation of alkenes and alkynes, and also the hydrogenation of nitroarenes to aniline. Other catalyzed organic reactions, such as hydroboration of aldehydes and ketones, oxidative dehydrogenation of *N*-heterocycles, azide-alkyne cycloaddition reactions, synthesis of various heterocyclic compounds, multicomponent reactions, and cross-coupling reactions for C–C and C–heteroatom bond formation have been covered.



Debasish Kundu

## ARTICLE HISTORY

Received: October 12, 2021  
Revised: December 20, 2021  
Accepted: December 30, 2021

DOI  
10.2174/1385272826666220209120545



CrossMark

**Keywords:** Catalysis, organic synthesis, iron(0) nanoparticles (NPs), iron oxide (Fe<sub>2</sub>O<sub>3</sub>/Fe<sub>3</sub>O<sub>4</sub>) nanoparticles, iron/transition metal mixed oxide NPs, nanoparticles.

## 1. INTRODUCTION

Intensive research has been conducted on metal nanoparticles (NPs) for their applications in the broad fields of medicine, optics, electronics, and catalysis [1-9]. In the context of catalysis, transition metal nanoparticles (NPs) have been studied significantly in the past few decades due to the fundamental advantages associated with nano-catalysis, such as the remarkable degree of control over selectivity, reactivity and yield of the product *via* controlled modifications in nanoparticle sizes, shapes and their surrounding environments [10-13]. Initial research on NPs catalyzed reactions predominantly focused on NPs of precious transition metals, such as Ru, Pd, Ag, Pt, Au, *etc.* In recent years, the focus on catalysis with NPs has shifted to earth-abundant transition metal nanoparticles, such as Fe, Co, Ni, Cu, and Zn, because of their abundance, cost-effectiveness, lower toxicity and fewer environmental hazards [14, 15]. Iron (Fe), in particular, has appeared as a potential candidate for numerous catalytic reactions of scientific and industrial interest. Iron is the most abundant transition metal in the Earth's crust, and it is an important metal in the life cycle of most living things as various as-

semblies of biological functions and systems rely upon the rich chemistry of iron-containing enzymes. Owing to the high abundance, inexpensiveness, toxicologically and environmentally benign nature of iron, constant efforts have been made for the expansion of numerous iron-catalyzed reactions [16, 17]. Thus far, many synthetic chemists have made ample contributions in this field, and several iron-catalyzed synthetic organic reactions have been conducted from different aspects [18-32], including substitution, nucleophilic addition, oxidation, reduction, hydrogenation, cycloaddition, rearrangement, heterocycles synthesis, C–H functionalization, polymerization, and those involving certain asymmetric alternates of these molecular transformations. Distinct renowned research groups have also developed iron-catalyzed cross-coupling reactions [33-48]. Although many simple iron-based catalysts or iron-based organometallic catalysts have been developed for different chemical processes/organic synthesis, several of these catalyst systems have limited applications in industrial processes due to the use of complex ligands and lack of reusability of the catalysts. Between molecular-defined iron complexes and nanostructured heterogeneous catalysts, the latter are usually favored due to their easier recovery from the reaction medium and their recycling ability, which is essential for cost-effective industrial processes [49-54]. Recently, iron-based nanoparticles have drawn significant attention due to their novel properties, such as magnetic, electrical, or catalytic, different from the corresponding bulk materials [55-59]. However, to our knowledge, limited reviews have been published in the litera-

\*Address correspondence to these authors at the Department of Chemistry, Indian Institute of Engineering Science and Technology, Shibpur, Botanic Garden, Howrah 711103, India; E-mail: [ladak@chem.iests.ac.in](mailto:ladak@chem.iests.ac.in) (L.D.) and Department of Chemistry, Government General Degree College Mangalkote (Affiliated to the University of Burdwan), Khudrun, Purba Bardhaman 713143, India; E-mail: [chem.debasishkundu@mangalkotegovtcollege.org](mailto:chem.debasishkundu@mangalkotegovtcollege.org) (D.K.)

Dr. Pradipta Kumar Basu  
OFFICER IN CHARGE, W.B.E.S.  
Government General Degree College, Mangalkote  
Dt. Purba Bardhaman, West Bengal-713132